



CARGO 1300



ATP

**INSULATED CONTAINER FOR THE
TRANSPORT OF PRODUCTS AT
TEMPERATURE - CONTROLLED.**



www.melform.com



CARGO 1300

- Brand: MELFORM
- Country of origin: ITALY
- Customs code: 39231090
- ATP certification
- EUROPALLET internal dimensions
- Compatible with food contact
- Colour: grey/blue
- Capacity: 1350 litres.
- Technology: rotomoulding
- Warranty: 24 months
- Fully recyclable at the end of its operating life.

MANUFACTURING MATERIALS

POLYETHYLENE: internal and external walls of the container and door, suitable for food contact.

POLYURETHANE: insulating material between the walls of the container and the door, free of CFC and HCFC.

SILICONE RUBBER: gasket.

STAINLESS STEEL: operating handles, closing handle, internal door rod.

GALVANIZED STEEL: metal feet . hinge rods, hinge rod connection plates, wheel support.

SILICON RUBBER: gasket.

NYLON : wheels.

POLYPROPYLENE : Hinges

AVAILABLE MODELS

MODEL	SKU	CODE EAN	DIM. EXT. (mm)	DIM. INT. (mm)	CAPACITY	WEIGHT (kg)
Cargo 1300 Basic	13019034	8022949200213	985x1405x1525	810x1210x1340	1350	148,5
Cargo 1300 with wheels	13019009	8022949143794	985x1405xh1695	810x1210xh1340	1350	153
Cargo 1300 with feet	13010003	8022949137212	985x1405xh1646	810x1210xh1340	1350	153

PRODUCT FEATURES



Version with wheels:
4 wheels with a diameter of
125 mm (2 fixed and 2
swivel, one with brake).
Wheel support plate
integrated into the
container



Version with 6
galvanized steel feet h
120 mm



Euro pallet size drip collector



RFID systems
for traceability



USB datalogger to
record temperature
data during transport



Door opens up to 270° with
tongue door stop




Stainless steel locking
handle with release button




Eutectic plate safety kit.




Fresh, frozen and frozen
plus eutectic plates to
increase thermal
maintenance performance
over time



Handle designed for use
with anti-tamper system.



Thermometer inserted
into the door (on request).



Double pin hinge system.
Better door stability over
time


°C

Guaranteed for use:
from -30°C to +100°C

K

Overall heat transfer
coefficient:
K=0.35 W / m²K

DIMENSION DRAWING (mm)



ACCESSORIES

MODEL	SKU	COLOR	DIM. EXT. (mm)	WEIGHT (Kg)
Plastic card holder	RRI141		A5	
Pallet Drip collector	ANA00101	blu	800x1200xh200	16
Eutectic plate Fresh +3°C -3 x Cargo	PE110001	rosa	835x353xh45	7,6
Eutectic plate Frozen -21°C -3 x Cargo	PE110002	blu	835x353xh45	7,6
Eutectic plate Frozen Plus -21°C -3 x Cargo	PE119008	verde	835x353xh45	7,6
USB DataLogger -30°C +70°C	AFG007		80x33xh14	
Ground safety fixing kit (for Basic version)	RRI223			
Eutectic plate retainer kit	RRI180			
Analogue thermometer +40°C- 40°C	RRI165			