



DRICY360



**INSULATED CONTAINER
FOR VERY LOW TEMPERATURES**



www.melform.com



- Brand: MELFORM
- Country of origin: ITALY
- Customs code: 39231090
- Compatible with food contact
- Color: grey/blue
- Technology: rotomoulding
- Warranty: 24 months
- Fully recyclable at the end of its service life
- Reduced height from the ground to facilitate loading and picking.
- Perfectly stackable, thanks to special lid housings
- Ideal for dry ice deliveries in applications such as fresh/frozen food distribution for e-commerce, home delivery, last mile, grape harvesting and thermoregulation in food processes
- Dricy containers are suitable for the containment of dry ice at a temperature of -78.5°C
- Containment capacity: 290 kg of dry ice pellets 3 mm
- Each plastic material is subject to embrittlement when subjected to extremely low temperatures; Consequently, it is recommended to avoid the use of metal objects for the removal of any residual dry ice remaining on the bottom of the container

DRICY 360

MANUFACTURING MATERIALS

POLIETILENE : pareti interne ed esterne del contenitore e del coperchio; adatto al contatto alimentare.

POLIURETANO : materiale isolante tra le pareti del contenitore e del coperchio, privo di CFC ed HCFC.

GOMMA SILICONICA : guarnizione.




INOX: gancio di chiusura, carter, protezione molle a gas.

ACCIAIO ZINCATO: asta cerniera. telaio rinforzo, piedini.

AVAILABLE MODELS

MODEL	SKU	EAN CODE	DIM. EXT. (MM)	DIM. INT. (MM)	CAPACITY (L)	WEIGHT (KG)
Dricy 360 with wheels	0365S001	8022949151843	800X1200XH900	620X1020XH578	365	82
Dricy 360 with pallet	0365S002	8022949153595	800X1200Xh900	620x420xh578	365	86


DIMENSIONAL DRAWING



PRODUCT FEATURES



Double adjustable stainless steel closure with sealing eyelet.



Flat bottom without grooves to reduce product residues with central discharge.



Easily removable gasket.



Hole with cap for draining liquids placed on the bottom of the container.



Ergonomic handles inserted on the body to facilitate safe handling.



Gas spring shock absorbers system to facilitate opening.



Galvanized steel reinforcement frame.



Label holder for identification of the content or destination. Suitable for A5 format documents.



Version with 4 wheels (2 swivel and 2 swivel with brake).
Version with 4 galvanized steel feet mounted on support plates integrated into the container.



RFID systems for traceability



Dedicated housings for stacking containers.



Monobloc structure, without edges, joints and welds. Insulation only with CFC and HCFC free polyurethane foam.



Gas spring protection systems in stainless steel.

Overall heat transfer coefficient: $K=0.29 \text{ W/m}^2\text{K}$

ACCESSORIES

MODEL	SKU	MATERIAL	WEIGHT (KG)
Spacer kit for 90° opening Dricy 360	RRI221	Nylon	0,1