

Insulated container CARGO 140

16/01/2023 - Rev.0



ATP



Insulated container with front opening for the transport of products at controlled temperature

- Brand: MELFORM
- Country of origin: ITALY
- Customs code: 39231090
- ATP Certificate
- Compatible with food contact
- Color: melange grey/blue
- Capacity: 140 liters.
- Technology: rotomoulding
- Warranty: 24 months
- Fully recyclable at the end of its operational life.
- Stackable and easy to handle

MANUFACTURING MATERIALS











Polyethylene	inner and outer walls of the container and door; suitable for food contact	Polyurethane	insulating material between the walls of the container and the door; CFC and HCFC free
Silicone rubber	gasket	Glass fiber reinforced polyamide	Closure
Stainless steel	gripping handles	Aluminium	hinge

Model	Code	EAN code	Ext. dim. (mm)	Int. dim. (mm)	Capacity (l)	Weight (kg)
Cargo 140 without seats for eutectic plate	A1400001	8022949082208	620x820xh710	415x620xh515	140	31
Cargo 140 with seats for eutectic plate	A1400002	8022949143749	620x820xh710	415x620xh495	140	31.5



Via Savigliano 34 - 12030 Monasterolo di Savigliano (CN) -ITALY
Phone +39 0172812600 - info@melform.com
www.melform.com

PRODUCT FEATURES

	<p>Available in version with eutectic plate seat</p>		<p>5 seats for housing grids positioned at 62/152/242/332/422 mm from the bottom of the container.</p>
	<p>Galvanized steel trolley capacity 200 Kg equipped with 4 swivel wheels, including 2 with brake, diam. 125mm</p>		<p>Stainless steel locking kit to fix two stacked containers.</p>
	<p>Closing hooks in shockproof material.</p>		<p>Equipped with integrated stainless steel grip handles.</p>
	<p>Eutectic plates hot, fresh, super fresh, frozen, frozen plus to increase thermal maintenance performance over time.</p>		<p>Stainless steel grid for load sharing,</p>
	<p>USB datalogger to record temperature during transport.</p>		<p>RFID systems for traceability</p>




Overall heat transfer coefficient: **K=0.33 W/m²K**

Container (isothermal body) guaranteed for use: **from -30°C to +100°C.**

ACCESSORIES

Model	Code	Color	Ext. dim. (mm)	Weight (kg)
Handling trolley	AIB004		630x830xh175	12
Stainless steel grid	AEA030			
Fixing kit on vehicle	RRI144			
Fixing kit for modular system	RRI137			
Hot plate GN 1/1	PEGS0003	red	530x325xh30	3
Fresh plate GN 1/1	PEGS0001	rose	530x325xh30	4
Super fresh plate GN 1/1	PEGS9001	sand	530x325xh30	4
Frozen plate GN 1 /1	PEGS0002	blue	530x325xh30	4
Frozen plus plate GN 1/1	PEGS9008	green	530x325xh30	4

SPARE PARTS

		
RRI181 Gasket kit 5 pieces per package	RRI003 Complete closure kit 4 pieces per package	RRI004 Closure kit (closure only) 4 pieces per package