

**ATP**

## Insulated container for the transport of products at temperature-controlled

- Brand: MELFORM
- Country of origin: ITALY
- Customs code: 39231090
- ATP certification
- Compatible with food contact
- Colour: grey/blue
- Capacity: 600 litres.
- Technology: roto moulding
- Warranty: 24 months
- Fully recyclable at the end of its operating life.

### MANUFACTURING MATERIALS


|                        |                                                                            |                         |                                                                  |
|------------------------|----------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------|
| <b>Polyethylene</b>    | inner and outer walls of the container and door; Suitable for food contact | <b>Polyurethane</b>     | Insulating material inside the walls and door, CFC and HCFC free |
| <b>Silicone rubber</b> | Gasket                                                                     | <b>Galvanized steel</b> | Hinge rods, hinge rod connection plates, wheel support, feet     |
| <b>Stainless steel</b> | Handling and closing handles, inner door rod                               |                         |                                                                  |

| Model            | Code     | EAN Code      | External dim. (mm) | Internal dim. (mm) | Litres | Weight (Kg) |
|------------------|----------|---------------|--------------------|--------------------|--------|-------------|
| Cargo 600 basic  | 06000001 | 8022949193409 | 1050x1180xh1000    | 810x965xh765       | 600    | 95          |
| Cargo 600 wheels | 06000002 | 8022949211240 | 1050x1180xh1165    | 810x965xh765       | 600    | 101         |
| Cargo 600 feet   | 06000003 | 8022949211226 | 1050x1180xh1100    | 810x965xh765       | 600    | 101         |

## PRODUCT FEATURES

|                                                                                   |                                                                                                      |                                                                                    |                                                                                        |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
|  | Stainless steel closing handle with release button; Prepared for the use of an anti-tampering system |  | Stainless steel rod with 2 hooks integrated into the door                              |
|  | Eutectic plates to increase thermal maintenance performance over time (on request).                  |  | 3 housing slots of grids positioned at 240/410/585mm from the bottom of the container. |
|  | RFID systems for traceability                                                                        |   | USB data logger available (on request) to record temperature data during transport     |

## TECHNICAL DATA (mm)



| ACCESSORIES                                                  |          |       |                       |                |
|--------------------------------------------------------------|----------|-------|-----------------------|----------------|
| Model                                                        | Code     | Color | External dim.<br>(mm) | Weight<br>(kg) |
| Floor/vehicle container fixing kit (for basic version)       | RRI223   |       |                       |                |
| Stainless steel grid                                         | AEA047   |       | 838x950xh16           | 6              |
| Card holder                                                  | RRI141   |       | A5                    |                |
| Eutectic plate<br><b>Fresh +3°C</b><br>- 2 x Cargo -         | PE600001 | rose  | 800x480x50            | 12             |
| Eutectic plate<br><b>Frozen – 21°C</b><br>- 2 x Cargo -      | PE600002 | blue  | 800x480x50            | 12             |
| Eutectic plate<br><b>Frozen plus – 21°C</b><br>- 2 x Cargo - | PE600003 | green | 800x480x50            | 12             |
| USB Data Logger Range -30°C +70°C                            | AFG007   |       | 80x33xh14             |                |
| Eutectic plate retainer safety kit                           | RRI180   |       |                       |                |
| Analog thermometer +40°C- 40°C                               | RRI165   |       |                       |                |